Page 2

This listing of claims will replace all prior versions and listing of claims in the application.

Claims 1-22 (canceled)

- 23. (Previously amended) The compound of Claim 41 wherein R^1 is hydrogen, C_{1-4} alkyl, C_{1-4} alkoxy, halogen or CF_3 .
- 24. (Previously amended) The compound of Claim 41 wherein R^2 is hydrogen, C_{1-4} alkyl, C_{1-4} alkoxy, halogen or CF_3 .
- 25. (Previously amended) The compound of Claim 41 wherein R^3 is hydrogen, fluorine, chlorine or CF_3 .
- 26. (Previously amended) The compound of Claim 41 wherein \mathbb{R}^4 is hydrogen or fluorine.
- 27. (Previously amended) The compound of Claim 41 wherein R^5 is hydrogen, fluorine, chlorine or CF_3 .
- 28. (Previously amended) The compound of Claim 41 wherein R^6 is C_{1-4} alkyl optionally substituted by hydroxy.

Serial No.: Case No.:

10/521,338 T1587P

Page

3

29. (Previously amended) The compound of Claim 41 wherein R⁷ is a cyclic group selected from the group consisting of:

$$O \xrightarrow{N} X - ()_n$$

 $\rm X$ is O, NH, $\rm CH_2$ or NR 13 n is 1 or 2

X is NH or CH₂

X is O, NH,
$$\mathrm{CH_2}$$
 or $\mathrm{NR^{13}}$ n is 1 or 2

 $\rm X$ is O, NH, $\rm CH_2$ or NR 13 n is 1 or 2

$$\begin{array}{c|c}
R^{13}N \\
O = S \\
O
\end{array}$$

X is NR¹³ or CH₂

 $\rm X$ is $\rm NR^{13}$ or $\rm CH_2$

$$X \text{ is } NR^{13} \text{ or } CH_2$$
 $X \text{ is } NR^{13} \text{ or } CH_2$
 $X \text{ is } NR^{13}, O \text{ or } SO_2$
 $X \text{ is } NR^{13}, O \text{ or } SO_2$
 $X \text{ is } NR^{13}, O \text{ or } SO_2$
 $X \text{ is } NR^{13}, O \text{ or } SO_2$
 $X \text{ is } N \text{ or } CH$
 $X \text{ is } N \text{ or } CH$
 $X \text{ is } N \text{ or } CH$

X is N or CH

and

wherein any of said cyclic groups is unsubstituted or substituted by one or more groups as defined in Claim 22 Claim 41.

30. (Currently amended) The compound of Claim 22 Claim 41 wherein R⁷ is a cyclic group selected from the group consisting of:

$$R^{13}N$$
 and N and N R^{13}

Wherein any of said cyclic groups is unsubstituted or substituted by one or more groups as defined in Claim 1 Claim 41.

Page :

31. (Previously amended) The compound of Claim 41 wherein R^8 is hydrogen or methyl.

- 32. (Previously amended) The compound of Claim 41 wherein R^{12} is hydrogen, hydroxy, C_{1-2} alkyl substituted by hydroxy, C_{1-4} alkoxy or CO_2R^e , where R^e is hydrogen, methyl ethyl or benzyl.
- 33. (Previuosly amended) The compound of Claim 41wherein R¹³ represents hydrogen, methyl or ethyl.
- 34. (Previously amended) The compound of Claim 41 wherein R^{15} is hydrogen and R^{16} is hydrogen.
 - 35. (Previously amended) The compound of Claim 41 wherein n is zero or 1.
 - 36. (Previously amended) The compound of Claim 41 of the formula (Ia):

$$A^{5}$$
 A^{1}
 A^{2}
 A^{3}
 A^{4}
 A^{7}
 A^{1}
 A^{2}
 A^{3}
 A^{4}
 A^{4}

wherein:

A¹ is fluorine or CF₃;

A² is fluorine or CF₃;

A³ is fluorine or hydrogen;

A⁴ is fluorine or hydrogen;

A⁵ is methyl;

Page 6

or a pharmaceutically acceptable salt thereof.

37. (Previously added) A compound which is selected from the group consisting of: $1-[((2R,3R,4R)-2-\{(1R)-1-[3,5-Bis(trifluoromethyl)phenyl]ethoxy}-tetrahydro-3-(4-fluorophenyl)-2H-pyran-4-yl)methyl]piperazinone;$

1-[((2*R*,3*R*,4*R*)-2-{(1*R*)-1-[3,5-Bis(trifluoromethyl)phenyl]ethoxy}-tetrahydro-3-(4-fluorophenyl)-2*H*-pyran-4-yl)methyl]-4-methylpiperazinone;

1-[((2*R*,3*R*,4*R*)-2-{(1*R*)-1-[3,5-Bis(trifluoromethyl)phenyl]ethoxy}-tetrahydro-3-(4-fluorophenyl)-2*H*-pyran-4-yl)methyl]-4-ethylpiperazinone;

1-[((2*R*,3*R*,4*R*)-2-{(1*R*)-1-[3,5-Bis(trifluoromethyl)phenyl]ethoxy}-tetrahydro-3-(4-fluorophenyl)-2*H*-pyran-4-yl)methyl]-4-(1-methylethyl)piperazinone;

1-[((2*R*,3*R*,4*R*)-2-{(1*R*)-1-[3,5-Bis(trifluoromethyl)phenyl]ethoxy}-tetrahydro-3-(4-fluorophenyl)-2*H*-pyran-4-yl)methyl]-4-cyclohexylpiperazinone;

1-[((2*R*,3*R*,4*R*)-2-{(1*R*)-1-[3,5-Bis(trifluoromethyl)phenyl]ethoxy}-tetrahydro-3-(4-fluorophenyl)-2*H*-pyran-4-yl)methyl]-4-(tetrahydropyran-4-yl)piperazinone;

1-[((2*R*,3*R*,4*R*)-2-{(1*R*)-1-[3,5-Bis(trifluoromethyl)phenyl]ethoxy}-tetrahydro-3-(4-fluorophenyl)-2*H*-pyran-4-yl)methyl]-4-(1-methylpiperidin-4-yl)piperazinone;

 $1-[((2R,3R,4R)-2-\{(1R)-1-[3,5-Bis(trifluoromethyl)phenyl]ethoxy\}-tetrahydro-3-(4-fluorophenyl)-2H-pyran-4-yl)methyl]-4-phenylpiperazinone;$

1-[((2*R*,3*R*,4*R*)-2-{(1*R*)-1-[3,5-Bis(trifluoromethyl)phenyl]ethoxy}-tetrahydro-3-(4-fluorophenyl)-2*H*-pyran-4-yl)methyl]-4-(pyrid-3-yl)piperazinone;

 $4-[((2R,3R,4R)-2-\{(1R)-1-[3,5-Bis(trifluoromethyl)phenyl]ethoxy}-tetrahydro-3-phenyl-2H-pyran-4-yl)methyl]piperazinone;$

4-[((2*R*,3*R*,4*R*)-2-{(1*R*)-1-[3,5-Bis(trifluoromethyl)phenyl]ethoxy}-tetrahydro-3-(4-fluorophenyl)-2*H*-pyran-4-yl)methyl]-1-methylpiperazinone;

4-[((2R,3R,4R)-2-{(1R)-1-[3,5-Bis(trifluoromethyl)phenyl]ethoxy}-tetrahydro-3-(4-fluorophenyl)-2H-pyran-4-yl)methyl]-1-ethylpiperazinone;

4-[((2*R*,3*R*,4*R*)-2-{(1*R*)-1-[3,5-Bis(trifluoromethyl)phenyl]ethoxy}-tetrahydro-3-(4-fluorophenyl)-2*H*-pyran-4-yl)methyl]-1-phenylpiperazinone;

4-[((2R,3R,4R)-2-{(1R)-1-[3,5-Bis(trifluoromethyl)phenyl]ethoxy}-tetrahydro-3-(4-fluorophenyl)-2H-pyran-4-yl)methyl]-1-(pyrid-3-yl)piperazinone;

Serial No.: Case No.:

10/521,338 T1587P

Page

7

4-[((2*R*,3*S*,4*S*)-2-{(1*R*)-1-[3,5-Bis(trifluoromethyl)phenyl]ethoxy}-tetrahydro-3-(4-fluorophenyl)-2*H*-pyran-4-yl)methyl]piperazinone;

 $4-[((2R,3S,4S)-2-\{(1R)-1-[3,5-Bis(trifluoromethyl)phenyl]ethoxy\}-tetrahydro-3-(4-fluorophenyl)-1-[3,5-Bis(trifluoromethyl)phenyl]ethoxy + (1R)-1-[3,5-Bis(trifluoromethyl)phenyl]ethoxy + (1R)-1-[3,5-Bis(trifluoromethyl)phenyl + (1R)-[3,5-Bis(trifluoromethyl)phenyl + (1R)-[3,5-Bis(trifluoromethyl)phenyl + (1R)-[3,5-Bis(trifluoromethyl)phenyl + (1R)-[3,5-Bis(trifluoromethyl)phenyl + (1R)-[3,5-Bis(trifluoromethyl)phenyl + (1R)-[3,5-Bis(trifluoromethyl)phenyl$

2*H*-pyran-4-yl)methyl]-1-methylpiperazinone;

 $4-[((2R,3S,4S)-2-\{(1R)-1-[3,5-Bis(trifluoromethyl)phenyl]ethoxy\}-tetrahydro-3-(4-fluorophenyl)-1-[3,5-Bis(trifluoromethyl)phenyl]ethoxy \}-tetrahydro-3-(4-fluorophenyl)-1-[3,5-Bis(trifluoromethyl)phenyl]ethoxy \}-tetrahydro-3-(4-fluoromethyl)-1-[3,5-Bis(trifluoromethyl)phenyl]ethoxy \}-tetrahydro-3-(4-fluoromethyl)-1-[3,5-Bis(trifluoromethyl)phenyl]ethoxy \}-tetrahydro-3-(4-fluoromethyl)-1-[3,5-Bis(trifluoromethyl)phenyl]ethoxy \}-tetrahydro-3-(4-fluoromethyl)-1-[3,5-Bis(trifluoromethyl)phenyl]ethoxy \}-tetrahydro-3-(4-fluoromethyl)-1-[3,5-Bis(trifluoromethyl)phenyl]ethoxy \}-tetrahydro-3-(4-fluoromethyl)-1-[3,5-Bis(trifluoromethyl)phenyl]ethoxy \}-tetrahydro-3-(4-fluoromethyl)-1-[3,5-Bis(trifluoromethyl)phenyl]ethoxy \}-tetrahydro-3-(4-fluoromethyl)-1-[3,5-Bis(trifluoromethyl)phenyl]ethoxy \}-tetrahydro-3-(4-fluoromethyl)-1-[3,5-Bis(trifluoromethyl)phenyl]ethoxy \}-tetrahydro-3-(4-fluoromethyl)-1-[3,5-Bis(trifluoromethyl)-1-[3,5-Bis(trifluoromethyl)phenyl]ethoxy \}-tetrahydro-3-(4-fluoromethyl)-1-[3,5-Bis(trifluoromethyl)phenyl \}-tetrahydro-3-(4-fluoromethyl)-1-[3,5-Bis(trifluoromethyl)phenyl \}-tetrahydro-3-(4-fluoromethyl)-1-[3,5-Bis(trifluoromethyl)-1-[3,5-B$

2*H*-pyran-4-yl)methyl]-1-ethylpiperazinone;

 $4-[((2R,3R,4R)-2-\{(1R)-1-[3,5-Bis(trifluoromethyl)phenyl]ethoxy\}-tetrahydro-3-(3,4-1)]$

difluorophenyl)-2*H*-pyran-4-yl)methyl]thiomorpholine 1,1-dioxide;

 $4-[((2R,3R,4R)-2-\{(1R)-1-[3,5-Bis(trifluoromethyl)phenyl]ethoxy\}-tetrahydro-3-phenyl-2H-pyran-1-$

4-yl)methyl]thiomorpholine 1,1-dioxide;

 $1-[((2R,3R,4R)-2-\{(1R)-1-[3,5-Bis(trifluoromethyl)phenyl]ethoxy\}-tetrahydro-3-phenyl-2H-pyran-1-[((2R,3R,4R)-2-\{(1R)-1-[3,5-Bis(trifluoromethyl)phenyl]ethoxy\}-tetrahydro-3-phenyl-2H-pyran-1-[((2R,3R,4R)-2-\{(1R)-1-[3,5-Bis(trifluoromethyl)phenyl]ethoxy]-tetrahydro-3-phenyl-2H-pyran-1-[((2R,3R,4R)-2-\{(1R)-1-[3,5-Bis(trifluoromethyl)phenyl]ethoxy]-tetrahydro-3-phenyl-2H-pyran-1-[((2R,3R,4R)-2-\{(1R)-1-[3,5-Bis(trifluoromethyl)phenyl]ethoxy]-tetrahydro-3-phenyl-2H-pyran-1-[((2R,3R,4R)-2-[(1R)-1-[3,5-Bis(trifluoromethyl)phenyl]ethoxy]-tetrahydro-3-phenyl-2H-pyran-1-[((2R,3R,4R)-2-[(1R)-1-[3,5-Bis(trifluoromethyl)phenyl]ethoxy]-tetrahydro-3-phenyl-2H-pyran-1-[((2R,3R,4R)-2-[(1R)-1-[3,5-Bis(trifluoromethyl)phenyl]ethoxy]-tetrahydro-3-phenyl-2H-pyran-1-[((2R,3R,4R)-2-[(1R)-1-[3,5-Bis(trifluoromethyl)phenyl]ethoxy]-tetrahydro-3-phenyl-2H-pyran-1-[((2R,3R,4R)-2-[(1R)-1-[3,5-Bis(trifluoromethyl)phenyl]ethoxy]-tetrahydro-3-phenyl-2H-pyran-1-[((2R,3R,4R)-2-[(1R)-1-[3,5-Bis(trifluoromethyl)phenyl-2H-pyran-1-[((2R,3R)-2-[(1R)-1-[3,5-Bis(trifluoromethyl)phenyl-2H-pyran-1-[((2R,3R)-2-[(1R)-1-[3,5-Bis(trifluoromethyl)phenyl-2H-pyran-1-[((2R,3R)-2-[(1R)-1-[3,5-Bis(trifluoromethyl)phenyl-2H-pyran-1-[((2R,3R)-2-[(1R)-1-[3,5-Bis(trifluoromethyl)phenyl-2H-pyran-1-[((2R,3R)-2-[(1R)-1-[3,5-Bis(trifluoromethyl)phenyl-2H-pyran-1-[((2R,3R)-2-[(1R)-1-[3,5-Bis(trifluoromethyl)phenyl-2H-pyran-1-[((2R,3R)-2-[(1R)-1-[(1R)-$

4-yl)methyl]-2-pyrrolidinone;

 $1-[((2R,3R,4R)-2-\{(1R)-1-[3,5-Bis(trifluoromethyl)phenyl]ethoxy\}-tetrahydro-3-phenyl-2H-pyran-$

4-yl)methyl]-2,5-pyrrolidinedione;

4-yl)methyl]-2-imidazolidinone;

1-[((2R,3R,4R)-2-{(1R)-1-[3,5-Bis(trifluoromethyl)phenyl]ethoxy}-tetrahydro-3-phenyl-2H-pyran-

4-yl)methyl]-3-methyl-2-imidazolidinone;

 $3-[((2R,3R,4R)-2-\{(1R)-1-[3,5-Bis(trifluoromethyl)phenyl]ethoxy\}-tetrahydro-3-phenyl-2H-pyran-$

4-yl)methyl]-1-methyl-2,4-imidazolidinedione;

 $2-[((2R,3R,4R)-2-\{(1R)-1-[3,5-Bis(trifluoromethyl)phenyl]ethoxy\}-tetrahydro-3-phenyl-2H-pyran-$

4-yl)methyl]-5-ethyl-1,2,5-thiadiazolidine 1,1-dioxide;

 $(5R \text{ or } S)-5-((2R,3R,4R)-2-\{(1R)-1-[3,5-Bis(trifluoromethyl)phenyl]ethoxy}-tetrahydro-3-phenyl-$

2*H*-pyran-4-yl)-2,4-imidazolidinedione;

 $(3R \text{ or } S)-3-((2R,3R,4R)-2-\{(1R)-1-[3,5-Bis(trifluoromethyl)phenyl]ethoxy}-tetrahydro-3-phenyl-$

2*H*-pyran-4-yl)-4-methylthiomorpholine 1,1-dioxide;

 $2-[((2R,3R,4R)-2-\{(1R)-1-[3,5-Bis(trifluoromethyl)phenyl]ethoxy\}-tetrahydro-3-phenyl-2H-pyran-$

4-yl)methyl]isothiazolidine 1,1-dioxide;

or a pharmaceutically acceptable salt thereof.

Page 8

38. (Previously amended) A pharmaceutical composition comprising the compound of Claim 41 and at least one pharmaceutically acceptable carrier or excipient.

- 39. (Previously amended) A method for the treatment of pain or inflammation, migraine, emesis, postherpetic neuralgia, depression or anxiety, which method comprises administration to a patient in need thereof of a therapeutically effective amount of the compound of Claim 41.
- 40. (Previously amended) A method for the prevention of pain or inflammation, migraine, emesis, postherpetic neuralgia, depression or anxiety, which method comprises administration to a patient in need thereof of a therapeutically effective amount of the compound of Claim 41.

41. (Previously added) A compound of the formula (I):

$$R^{15}$$
 R^{15}
 R^{16}
 R^{15}
 R^{16}
 R^{16}
 R^{15}
 R^{16}
 R^{16}

wherein:

 R^1 is hydrogen, halogen, C_{1-6} alkyl, C_{1-6} alkoxy, fluoro C_{1-6} alkyl, fluoro C_{1-6} alkoxy, C_{3-7} cycloalkyl, C_{3-7} cycloalkyl C_{1-4} alkyl, NO_2 , CN, SR^a , SOR^a , SO_2R^a , CO_2R^a , $CONR^aR^b$, C_2 . 6 alkenyl, C_{2-6} alkynyl or C_{1-4} alkyl substituted by C_{1-4} alkoxy, wherein R^a and R^b each independently represent hydrogen or C_{1-4} alkyl;

 R^2 is hydrogen, halogen, C_{1-6} alkyl, fluoro C_{1-6} alkyl or C_{1-6} alkoxy substituted by C_{1-4} alkoxy; R^3 is hydrogen, halogen or fluoro C_{1-6} alkyl;

Page 9

9


 R^4 is hydrogen, halogen, C_{1-6} alkyl, C_{1-6} alkoxy, fluoro C_{1-6} alkyl, fluoro C_{1-6} alkoxy, hydroxy, NO₂, CN, SR^a, SOR^a, SO₂R^a, CO₂R^a, CONR^aR^b, C₂₋₆alkenyl, C₂₋₆alkynyl or C₁₋₄alkyl substituted by C₁₋₄alkoxy;

 R^5 is hydrogen, halogen, C_{1-6} alkyl, fluoro C_{1-6} alkyl or C_{1-6} alkoxy substituted by C_{1-4} alkoxy; R^6 represents hydrogen or a C_{1-4} alkyl group which is unsubstituted or substituted by a hydroxy group;

 R^7

is a cyclic group selected from the group consisting of:

10/521,338 Serial No.: Case No.: T1587P Page 10




 $\rm X$ is NR¹³ or CH₂

X is NR¹³ or CH₂

X is NR¹³ or CH₂

X is NR¹³, O or SO₂




X is N or CH

X is N or CH

and

X is N or CH



and

wherein cyclic group is unsubstituted or substituted at any substitutable position by one or more substituents selected from =O, halogen, hydroxy, R^{11} , R^{12} , SR^f , SO_2R^g , COR^a , CO_2R^a , $CONR^9R^{10}$,

-ZNR⁹R¹⁰, benzyl, C_{1-4} alkyl, hydroxy C_{1-4} alkyl, fluoro C_{1-4} alkyl, chloro C_{1-4} alkyl, C_{3-7} cycloalkyl, C_{3-7} cycloalkyl C_{1-4} alkyl, C_{3-7} cycloalkyl C_{1-4} alkyl, C_{3-7} cycloalkoxy, C_{3-7} cycloalkoxy C_{1-4} alkoxy, fluoro C_{1-4} alkoxy, hydroxy C_{1-4} alkoxy, C_{1-4} alkoxy, aryl, aryl C_{1-4} alkyl, heteroaryl, heteroaryl C_{1-4} alkyl or a 5- or 6-membered ring containing in the ring one oxygen atom or $N(C_{1-6}$ alkyl), wherein R^f is C_{1-4} alkyl or aralkyl or aryl and R^g is C_{1-4} alkyl, aryl, aryl C_{1-4} alkyl or NR^9R^{10} ;

 R^8 represents hydrogen, C_{1-6} alkyl, fluoro C_{1-6} alkyl, hydroxy, C_{1-6} alkoxy, hydroxy C_{1-6} alkyl NR^9R^{10} , $CONR^9R^{10}$ or SO_7R^g :

R⁹ is hydrogen, C₁₋₄alkyl, C₃₋₇cycloalkyl, C₃₋₇cycloalkylC₁₋₄alkyl, fluoroC₁₋₄alkyl, C₂₋₄alkyl substituted by a C₁₋₄alkoxy or hydroxyl group, or R⁹ is a five membered or six membered nitrogencontaining heteroaromatic ring as previously defined;

 R^{10} is hydrogen or C_{1-4} alkyl, C_{3-7} cycloalkyl, C_{3-7} cycloalkyl C_{1-4} alkyl, fluoro C_{1-4} alkyl or C_{2-4} alkyl substituted by a C_{1-4} alkoxy or hydroxyl group;

or R⁹, R¹⁰ and the nitrogen atom to which they are attached form a heteroaliphatic ring of 4 to 7 ring atoms, unsubstituted or substituted by one or two groups selected from hydroxy, COR^e, CO₂R^e, C₁₋₄alkyl unsubstituted or substituted by a C₁₋₄alkoxy or hydroxyl group, or C₁₋₄alkoxy unsubstituted or substituted by a C₁₋₄alkoxy or hydroxyl group, or a five membered or six membered nitrogen-containing heteroaromatic ring as previously defined, or said heteroaliphatic ring is substituted by a spiro-fused lactone ring, and said heteroaliphatic ring optionally containing a double bond, which heteroaliphatic ring may contain an oxygen or sulphur ring atom, a group S(O) or S(O)₂ or a second nitrogen atom which will be part of a NH or NR^d moiety, where R^d is C₁₋₄alkyl unsubstituted or substituted by hydroxy or C₁₋₄alkoxy;

or R⁹, R¹⁰ and the nitrogen atom to which they are attached form a non-aromatic azabicyclic ring system of 6 to 12 ring atoms;

or R⁹, R¹⁰ and the nitrogen atom to which they are attached form a heteroaliphatic ring of 4 to 7 ring atoms to which is fused a benzene ring or a five membered or six membered nitrogen-containing heteroaromatic ring optionally containing 1, 2 or 3 additional heteroatoms selected from N, O and S;

 R^{11} and R^{12} each independently represent hydrogen, hydroxy, COR^e , CO_2R^e , C_{1-4} alkyl unsubstituted or substituted by a C_{1-4} alkoxy or hydroxyl group, or C_{1-4} alkoxy unsubstituted or substituted by a C_{1-4} alkoxy or hydroxyl group;

or, when they are attached to the same carbon atom, R^{11} and R^{12} may together represent =O, =CHCO₂R^a, -O(CH₂)_mO-, -CH₂O(CH₂)_k-, -CH₂OCH₂C(O)-, -CH₂OCH₂CH(OH)-, -CH₂OCH₂C(CH₃)₂-, -CH₂OC(CH₃)₂CH₂-, -C(CH₃)₂OCH₂CH₂-, -CH₂C(O)OCH₂-, -OC(O)CH₂CH₂-, -C(O)OC(CH₃)₂CH₂-, -C(O)OCH₂C(CH₃)₂-, -OCH₂(CH₂)_k-, -OC(CH₃)₂CH₂-, -OCH₂C(CH₃)₂CH₂-, -OCH₂CH₂C(CH₃)₂-, -OCH₂CH=CHCH₂-, -OCH₂CH(OH)CH₂CH₂-, -OCH₂CH(OH)CH₂-, -OCH₂CH(OH)CH(OH)CH₂-, -OCH₂CH(OH)CH(OH)CH₂-, -OCH₂CH(OH)CH(OH)CH(OH)

$$R^{14}$$

or, where they are attached to adjacent carbon atoms, R¹¹ and R¹² may together represent -OCH₂CH₂- or -OCH₂CH(OH)-, or R¹¹ and R¹² may together form a fused benzene ring;

or, R¹¹ and R¹² together form a C₁₋₂alkylene bridge across the pyrrolidine, piperidine, morpholine or piperazine ring to which they are attached;

 R^{13} represents hydrogen, phenyl, benzyl, pyridyl, tetrahydropyranyl, piperidinyl, N-substituted piperidinyl (where the N-substituent is C_{1-6} alkyl), C_{1-4} alkyl, C_{3-7} cycloalkyl C_{1-4} alkyl, - SO_2C_{1-4} alkyl or C_{2-4} alkyl substituted by a C_{1-4} alkoxy or hydroxyl group;

R¹⁴ represents hydrogen, halogen, hydroxy, C₁₋₄alkyl, hydroxyC₁₋₄alkyl or fluoroC₁₋₄alkyl; R¹⁵ and R¹⁶ each independently represent hydrogen, halogen, C₁₋₆alkyl, CH₂OR^c, oxo, CO₂R^a or CONR^aR^b where R^a and R^b are as previously defined and R^c represents hydrogen, C₁₋₆alkyl or phenyl;

Z represents a bond, C₁₋₆alkylene or C₃₋₆cycloalkylene;

k is 1, 2 or 3;

m is 1 or 2; and

n is zero, 1 or 2;

with the proviso that when n is zero and R⁸ is hydrogen, R⁷ does not represent a C-linked nitrogen-containing ring of the formula:

$$- \underbrace{A}_{B} \underbrace{R^{11}}_{R^{12}}$$

wherein:

Page 13

A represents NR^{13} , and B represents a bond, CH_2 , NR^{13} or O, wherein one or both hydrogen atoms in said CH_2 moiety may be replaced with one or both of R^{11} and R^{12} , or alternatively, one of the hydrogen atoms in said CH_2 moiety together with a hydrogen atom from an adjacent carbon are replaced by a double bond; or A is O, and B is NR^{13} ; and R^{11} and R^{12} together represent =O; and pharmaceutically acceptable salts thereof.

42. (New) A compound of claim 41 which is

1-[((2*R*,3*R*,4*R*)-2-{(1*R*)-1-[3,5-Bis(trifluoromethyl)phenyl]ethoxy}-tetrahydro-3-(4-fluorophenyl)-2*H*-pyran-4-yl)methyl]piperazinone, or a pharmaceutically acceptable salt thereof.